



# SQUAMERS

DESIGN POOLS FOR EVERYONE

2024

# “DESIGN POOLS FOR EVERYONE”

Glass mosaic tile manufacturer and global distributor Squamers was founded in 2016 with a clearly defined mission: to bring designer pools within the reach of all.

With this goal in mind, we apply cutting-edge production techniques and avant-garde designs to mosaic tiles so that everyone can acquire an exclusive pool at an affordable price.

**Are you joining the Squamers revolution?**

Squamers, fabricante y distribuidor global de mosaico vítreo, nació el 2016 con una misión clara: acercar las piscinas de diseño a todo el mundo.

Con este objetivo, aplicamos las últimas técnicas de producción y los diseños más vanguardistas al mosaico de manera que cualquier persona pueda adquirir una piscina exclusiva a un precio asequible.

**¿Te unes a la revolución Squamers?**





# “WE ARE ECO”

Reusing materials, in our case glass, is one of the ways that we can contribute to the wellbeing of our planet.

All the mosaic tiles we manufacture are made of recycled glass, but our commitment to the environment goes further than this, and also includes our machinery (100% electric), production processes and even our packaging.

At Squamers we offer a wide range of colours and designs, but they have one thing in common: they are all green.


**How about you?**

La reutilización de materiales, en nuestro caso el vidrio, es una de las formas que tenemos para contribuir al bienestar del planeta.

Todos los mosaicos que fabricamos están elaborados con vidrio reciclado, pero nuestro compromiso medioambiental abarca también nuestra maquinaria (toda eléctrica), los procesos productivos e incluso nuestro packing.

En Squamers ofrecemos mosaicos de colores y diseños muy variados, pero hay algo común en ellos: todos son verdes.

**¿Lo eres tú?**



**02 /** COMPANY

**06 /** INDEX

**08 /** GENUINE

**16 /** GENUINE PEARL

**20 /** SPIRIT

**28 /** IDENTITY

**46 /** IDENTITY FIFTY

**54 /** STONE FIFTY

**58 /** SAND ROCK

**62 /** SPECIAL FINISHES

**70 /** DIGITAL PRINT

**72 /** TECHNICAL AREA

**68 /** TECHNICAL CHARACTERISTICS

**74 /** ABOUT MOSAIC

**76 /** DOT LINK

**78 /** PACKING DETAILS

**79 /** APPLICATION ADVICE

**80 /** SQUAMERS



/ GN500-A

GENUNE




GN100 / Ref. 5584 / P10 2,5x2,5 cm / Packing One



GN102 / Ref. 5613 / P10 2,5x2,5 cm / Packing One




GN104 / Ref. 5583 / P10 2,5x2,5 cm / Packing One




GN105 / Ref. 5582 / P10 2,5x2,5 cm / Packing One



GN200 / Ref. 5612 / P10 2,5x2,5 cm / Packing One



GN401 / Ref. 5608 / P10 2,5x2,5 cm / Packing One




GN201 / Ref. 5587 / P10 2,5x2,5 cm / Packing One



GN300 / Ref. 5611 / P10 2,5x2,5 cm / Packing One




GN400 / Ref. 5609 / P10  
2,5x2,5 cm / Packing One




/ GN400

GENUINE


013




GN104-A / Ref. 6392 / P50      2,5x2,5 cm / Packing One




GN105-A / Ref. 6391 / P50      2,5x2,5 cm / Packing One




GN401-A / Ref. 6388 / P50      2,5x2,5 cm / Packing One



GN500-A / Ref. 6387 / P50      2,5x2,5 cm / Packing One



GN100-F / Ref. 5607 / P30      2,5x2,5 cm / Packing One




GN500-F / Ref. 5588 / P10      2,5x2,5 cm / Packing One




/ Pearl 201


# GENUINE PEARL




Pearl 100 / Ref. 5606 / P60 2,5x2,5 cm / Packing One




Pearl 103 / Ref. 5605 / P60 2,5x2,5 cm / Packing One



Pearl 201 / Ref. 5604 / P60 2,5x2,5 cm / Packing One



Pearl 400 / Ref. 5603 / P60 2,5x2,5 cm / Packing One



Pearl 500 / Ref. 5602 / P60 2,5x2,5 cm / Packing One


THIRDS



Koi / Ref. 5599 / P30 2,5x2,5 cm / Packing One



Tetra / Ref. 5600 / P30 2,5x2,5 cm / Packing One



Mimic / Ref. 5586 / P30 2,5x2,5 cm / Packing One




Spiny / Ref. 5585 / P30 2,5x2,5 cm / Packing One






**Orbic** / Ref. 5601 / P30 2,5x2,5 cm / Packing One



**Ray** / Ref. 5597 / P40 2,5x2,5 cm / Packing One




**Sandy** / Ref. 5598 / P30 2,5x2,5 cm / Packing One




**Zebra** / Ref. 5596 / P40 2,5x2,5 cm / Packing One

SPIRIT




**Goby** / Ref. 5593 / P40

2,5x2,5 cm / Packing One




**Ember** / Ref. 5595 / P40

2,5x2,5 cm / Packing One



**Barbo** / Ref. 5594 / P40

2,5x2,5 cm / Packing One




**Emperor** / Ref. 5589 / P40

2,5x2,5 cm / Packing One




K  
E  
E  
N  
E  
D


IDENTITY



**Shark** / Ref. 5639 / P40      2,5x2,5 cm / Packing One



**Baleen** / Ref. 5636 / P40      2,5x2,5 cm / Packing One




**Papuan** / Ref. 5638 / P40      2,5x2,5 cm / Packing One




**Betta Fish** / Ref. 5641 / P20      2,5x2,5 cm / Packing One




IDENTITY




Oranda / Ref. 5620 / P40      2,5x2,5 cm / Packing One



Coney / Ref. 5633 / P40      2,5x2,5 cm / Packing One




Gramma / Ref. 5619 / P40      2,5x2,5 cm / Packing One




Phiphi / Ref. 5592 / P20      2,5x2,5 cm / Packing One



IDENTITY




Kidako / Ref. 5637 / P40      2,5x2,5 cm / Packing One



Malawi / Ref. 5617 / P40      2,5x2,5 cm / Packing One



Atai / Ref. 5591 / P40      2,5x2,5 cm / Packing One





Addis / Ref. 5618 / P20      2,5x2,5 cm / Packing One




IDENTITY



Kidako Lum / Ref. 5905 / P60 2,5x2,5 cm / Packing One



Atai Lum / Ref. 5943 / P60 2,5x2,5 cm / Packing One





Kauai / Ref. 5631 / P40      2,5x2,5 cm / Packing One



Allion / Ref. 5962 / P40      2,5x2,5 cm / Packing One



Namazu / Ref. 6270 / P40      2,5x2,5 cm / Packing One




Okoze / Ref. 5629 / P40      2,5x2,5 cm / Packing One



IDENTITY



Wana / Ref. 5632 / P50      2,5x2,5 cm / Packing One



Fiji / Ref. 5635 / P40      2,5x2,5 cm / Packing One



Jenysia / Ref. 5630 / P40      2,5x2,5 cm / Packing One



Jinyu / Ref. 5627 / P20      2,5x2,5 cm / Packing One

IDENTITY



Yasha / Ref. 5634 / P40      2,5x2,5 cm / Packing One



Musa / Ref. 6261 / P50      2,5x2,5 cm / Packing One



Seal / Ref. 5642 / P20      2,5x2,5 cm / Packing One



Doga / Ref. 6262 / P50      2,5x2,5 cm / Packing One




/ Yasha


IDENTITY



**Esturion** / Ref. 5640 / P40      2,5x2,5 cm / Packing One



**Brigit** / Ref. 5964 / P50      2,5x2,5 cm / Packing One



**Caiman** / Ref. 5590 / P40      2,5x2,5 cm / Packing One



**Shibun** / Ref. 5963 / P40      2,5x2,5 cm / Packing One




KEY  
THE  
THE  
NE  
EE  
DO  
THE  
EE


IDENTITY FIFTY



**Fifty Shark** / Ref. 6053 / P80  
5x5 cm / Packing Two




**Fifty Kidako** / Ref. 6069 / P80  
5x5 cm / Packing Two



**Fifty Oranda** / Ref. 6144 / P70  
5x5 cm / Packing Two



**Fifty Atai** / Ref. 6142 / P70  
5x5 cm / Packing Two




**Fifty Baleen** / Ref. 6052 / P70  
5x5 cm / Packing Two



IDENTITY FIFTY



**Fifty Wana** / Ref. 6141 / P80  
5x5 cm / Packing Two



**Fifty Namazu** / Ref. 6269 / D30  
5x5 cm / Packing Two



**Fifty Okoze** / Ref. 6057 / D30  
5x5 cm / Packing Two




**Fifty Shibun** / Ref. 6143 / P70  
5x5 cm / Packing Two



IDENTITY FIFTY



**Fifty Esturion** / Ref. 6051 / P80  
5x5 cm / Packing Two



**Fifty Brigit** / Ref. 6140 / P70  
5x5 cm / Packing Two



**Fifty Musa** / Ref. 6259 / P70  
5x5 cm / Packing Two



**Fifty Doga** / Ref. 6260 / P70  
5x5 cm / Packing Two





/ Fifty Landa-A

STONELY

STONE FIFTY



**Fifty Alpha-A** / Ref. 6232 / D50  
5 x 5 cm - 2" x 2" / Packing Two



**Fifty Seth-A** / Ref. 6233 / D50  
5 x 5 cm - 2" x 2" / Packing Two



**Fifty Landa-A** / Ref. 6231 / D50  
5 x 5 cm - 2" x 2" / Packing Two







/ Sand Rock Zement

SAND  
ROCK


SAND ROCK



Sand Rock Bone / Ref. 5616 / D10      2,5x2,5 cm / Packing One




Sand Rock Zement / Ref. 5614 / D10      2,5x2,5 cm / Packing One



Sand Rock Polaris / Ref. 5615 / D10      2,5x2,5 cm / Packing One





/ Special Finishes GN104-A

# SPECIAL FINISHES

SPECIAL FINISHES



**Angle GN400-A** / Ref. 4927 / P100      5x5 cm / Packing Angle

**Angle GN104-A** / Ref. 4929 / P100      5x5 cm / Packing Angle

**Angle GN500-A** / Ref. 4931 / P100      5x5 cm / Packing Angle

**Angle Fluor White-A** / Ref. 4933 / P105      5x5 cm / Packing Angle



**Bind GN400-A** / Ref. 4928 / P100      5x5 cm / Packing Bind

**Bind GN104-A** / Ref. 4930 / P100      5x5 cm / Packing Bind

**Bind GN500-A** / Ref. 4932 / P100      5x5 cm / Packing Bind

**Bind Fluor White-A** / Ref. 4934 / P105      5x5 cm / Packing Bind

SPECIAL FINISHES




**AB1 GN400-A** / Ref. 4981 / P110      5x5 cm / Sold by Unit

**AB1 GN104-A** / Ref. 4976 / P110      5x5 cm / Sold by Unit

**AB1 GN500-A** / Ref. 4986 / P110      5x5 cm / Sold by Unit

**AB1 Fluor White-A** / Ref. 4991 / P115      5x5 cm / Sold by Unit



**AB2 GN400-A** / Ref. 4982 / P110      5x5 cm / Sold by Unit

**AB2 GN104-A** / Ref. 4977 / P110      5x5 cm / Sold by Unit

**AB2 GN500-A** / Ref. 4987 / P110      5x5 cm / Sold by Unit

**AB2 Fluor White-A** / Ref. 4992 / P115      5x5 cm / Sold by Unit

SPECIAL FINISHES



**AB3 GN400-A** / Ref. 4983 / P110      5x5 cm / Sold by Unit

**AB3 GN104-A** / Ref. 4978 / P110      5x5 cm / Sold by Unit

**AB3 GN500-A** / Ref. 4988 / P110      5x5 cm / Sold by Unit

**AB3 Fluor White-A** / Ref. 4993 / P115      5x5 cm / Sold by Unit



**AB4 GN400-A** / Ref. 4984 / P110      5x5 cm / Sold by Unit

**AB4 GN104-A** / Ref. 4979 / P110      5x5 cm / Sold by Unit

**AB4 GN500-A** / Ref. 4989 / P110      5x5 cm / Sold by Unit

**AB4 Fluor White-A** / Ref. 4994 / P115      5x5 cm / Sold by Unit

SPECIAL FINISHES







**AB5 GN400-A** / Ref. 4985 / P110      5x5 cm / Sold by Unit

**AB5 GN104-A** / Ref. 4980 / P110      5x5 cm / Sold by Unit

**AB5 GN500-A** / Ref. 4990 / P110      5x5 cm / Sold by Unit

**AB5 Fluor White-A** / Ref. 4995 / P115      5x5 cm / Sold by Unit



# “DIGITAL PRINT FOR POOLS”

Building a new pool is exciting, and decorating it is even more so.

At Squamers we make it possible for you to create the designs that best suit your style, with digital decorations that can be applied directly to the mosaic itself. The possibilities are endless: marine and wildlife motifs, tattoos, unique textures, hydraulic designs...

Simply send us your design - one you have created or a reference as to how you would like your pool to look - along with the measurements of the decoration you have in mind, and we will make it happen. Our expert design team will study your proposal and provide you with the solution that best captures that personal and exclusive touch.

Construir una nueva piscina es emocionante, pero decorarla lo es aún más.

En Squamers te ofrecemos la posibilidad de realizar decorados digitales sobre el propio mosaico con el diseño que más se ajuste a tu estilo. Desde motivos marinos hasta la vida salvaje, pasando por tatuajes, texturas, diseños hidráulicos...

Para ello, sólo tienes que remitirnos tu propio diseño o alguna referencia de cómo quieres que quede tu piscina e indicarnos las medidas del decorado; nosotros nos ocuparemos de hacerlo realidad. Contamos con un equipo de diseño que valorará tu propuesta y te ofrecerá la solución más adecuada para dar a tu piscina ese toque personal y exclusivo.





# TECHNICAL AREA

/TECHNICAL CHARACTERISTICS

TECHNICAL CHARACTERISTICS


| Series           | Test UNE-EN-ISO 10545-3 | Test UNE-EN-ISO 101-92=101 | Test UNE-EN-ISO 10545-9       | Test UNE-EN-ISO 10545-12 | Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack. |                       |                        |
|------------------|-------------------------|----------------------------|-------------------------------|--------------------------|--------------------------------------------------------------|-----------------------|------------------------|
|                  | Water Absorption.       | Surface hardness. Mohs.    | Resistance to thermal shocks. | Frost Resistance.        | Domestic products.                                           | Pool water additives. | Low acid and alkalins. |
| Geinuine         | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Geinuine - F     | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Geinuine - A     | None                    | 5                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Genuine Pearl    | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Spirit           | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Identity         | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Identity Fifty   | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Stone Fifty      | None                    | 5                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Sand Rock        | None                    | 4                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |
| Special Finishes | None                    | 5                          | Resistant                     | Resistant                | GA                                                           | GA                    | GLA                    |

| Test UNE-EN-ISO 10545-13:1998 | Test UNE-EN-ISO 10545-14 | Test UNE-EN-ISO 10545-11=1997 | DIN 51094                                          | DCOF Wet Dynamic Coefficient of Friction | DIN 51130:2004                  | DIN 51097                      | Test UNE-ENV 12633:2003 (CTE)                                       |
|-------------------------------|--------------------------|-------------------------------|----------------------------------------------------|------------------------------------------|---------------------------------|--------------------------------|---------------------------------------------------------------------|
| High acid and alkalins.       | Resistance to staining.  | Cracking.                     | Colour stability on exposure to light and UV rays. | ANSI A137.1-2017 According Standard.     | SLIP Ressistance wearing shoes. | SLIP Ressistance in bare feet. | Anti skid coefficient, suitable for outdoor use and swimming pools. |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          |                                          |                                 |                                |                                                                     |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          |                                          |                                 |                                |                                                                     |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          | ≥ 0,42                                   | R11                             | Class C                        | Class 3                                                             |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          |                                          |                                 |                                |                                                                     |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          |                                          |                                 |                                |                                                                     |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          |                                          |                                 |                                |                                                                     |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          | ≥ 0,42                                   | R11                             | Class C                        | Class 3                                                             |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          |                                          |                                 |                                |                                                                     |
| GHA                           | Class 5                  | Resistant                     | Resistant                                          | ≥ 0,42                                   | R11                             | Class C                        | Class 3                                                             |

/TECHNICAL CHARACTERISTICS

SUITABILITY AREA PRODUCT & COMPOSITION GUIDE

|                  | Wall    | Floor       | Wet areas | Pools | Material |
|------------------|---------|-------------|-----------|-------|----------|
| Genuine          | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Geinuine - F     | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Geinuine - A     | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Genuine Pearl    | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Spirit           | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Identity         | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Identity Fifty   | Int/Ext | No          | Yes       | Yes   | Glass    |
| Stone Fifty      | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Sand Rock        | Int/Ext | Residential | Yes       | Yes   | Glass    |
| Special Finishes | Int/Ext | Residential | Yes       | Yes   | Glass    |



/ABOUT MOSAIC



Made  
in Spain



98%  
Recycled Glass



Antislip  
C3 / R11



0%  
Water Absortion



Colour  
Unalterable

FIFTY GLASS MOSAIC

This Artisan-edge glass mosaic is made with recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.


El aspecto artesanal del mosaico vítreo en formato FIFTY es una cualidad inherente a estos productos debido a su proceso de fabricación. Las teselas podrían incluir ciertas irregularidades y mínimas imperfecciones en el tamaño aportando cierta apariencia rústica, más alejada de la perfección cuadriculada. La reducción de tamaño y variaciones de tono podrían afectar al aspecto del rejunte y modificar la apariencia natural de estos mosaicos. Su uso constituye aceptación de esta advertencia.

SQUAMERS GLASS MOSAIC

All SQUAMERS 98% recycled glass mosaics series are made of molten glass. Molten glass characteristics may include irregular edges and small variations in size. These characteristics are inherent to the product and to the standard production. The small size and shape variations can affect the grout joint appearance and enhance the natural aspect of these products. Use constitutes acceptance.

Todas las series de SQUAMERS, elaboradas con un 98% de vidrio reciclado, están fabricadas con vidrio molido. Esta materia posee unas características particulares que podrían ocasionar ligeras irregularidades y variaciones de tamaño en las fichas; una cualidad inherente al producto y a la producción estándar. La reducción de tamaño y variaciones de tono podrían afectar al aspecto del rejunte y modificar la apariencia natural de estos mosaicos. Su uso constituye aceptación de esta advertencia.

/DOT LINK



GREAT GRIP.

92% of the glass mosaic tile surface stays clean and therefore makes it ideal for glue cement to be applied.

FAST INSTALLATION.

A 27% time saving in its installation in comparison with its traditional supports.

MAXIMUM FLEXIBILITY.

Full adaptability to any type of surface: corners, curved, irregular finishes ...

HIGH RESISTANCE.

Resistant to weather changing conditions, chemical treatments and unalterable to UV rays.

MINIMUM THICKNESS.

An even thickness which conceals the surface of the grouting.

VISUAL CONTROL.

Unlike paper support, when you visualize the mosaic in the installation it is possible to create drawings and shapes.

GRAN AGARRE.

El 92% de la superficie del mosaico queda limpio para un perfecto agarre del cemento cola.

RÁPIDA COLOCACIÓN.

Ahorro de un 27% del tiempo de colocación frente a soportes tradicionales.

MÁXIMA FLEXIBILIDAD.

Total adaptabilidad a cualquier tipo de superficie: esquinas, curvadas, acabados irregulares...

ALTA RESISTENCIA.

Resistente a cambios térmicos, tratamientos químicos e inalterable a los rayos solares UV.

MÍNIMO GROSOR.

Un grosor homogéneo que se oculta perfectamente con el rejunte.

CONTROL VISUAL.

Al contrario del soporte papel, al visualizar el mosaico en la instalación es posible crear dibujos y formas.

/PACKING DETAILS

PACKING ONE / CUBE / 25x25 mm (1"x1")

| Sheet / Hoja                                 | Box / Caja                                | Pallet / Palet                                    | Euro Pallet / Euro Palet                        |
|----------------------------------------------|-------------------------------------------|---------------------------------------------------|-------------------------------------------------|
| Size / Dimensión: 311x467 mm (12.24"x18.38") | Sheets / Hojas: 14                        | Boxes / Cajas: 60                                 | Boxes / Cajas: 50                               |
| Thickness / Espesor: 4.5 mm (0.177")         | Quantity / Cantidad: 2.03 m² (21.85 sqft) | Quantity / Cantidad: 121.8 m² (1.311.04 sqft)     | Quantity / Cantidad: 101.5 m² (1.092.53 sqft)   |
| Weight / Peso: 1.31 Kg (2.88 lb)             | Weight/ Peso: 18.3 Kg (40.34 lb)          | Gross weight / Peso bruto: 1.098 Kg (2.420.67 lb) | Gross weight / Peso bruto: 915 Kg (2.017.23 lb) |


PACKING TWO / FIFTY / 50x50 mm (2"x2")

| Sheet / Hoja                                 | Box / Caja                                | Pallet / Palet                                       | Euro Pallet / Euro Palet                           |
|----------------------------------------------|-------------------------------------------|------------------------------------------------------|----------------------------------------------------|
| Size / Dimensión: 311x311 mm (12.24"x12.24") | Sheets / Hojas: 10                        | Boxes / Cajas: 108                                   | Boxes / Cajas: 72                                  |
| Thickness / Espesor: 5.5 mm (0.216")         | Quantity / Cantidad: 0.98 m² (10.54 sqft) | Quantity / Cantidad: 105.84 m² (1.139.25 sqft)       | Quantity / Cantidad: 70.56 m² (759.50 sqft)        |
| Weight / Peso: 1.15 Kg (2.53 lb)             | Weight/ Peso: 11.49 Kg (25.33 lb)         | Gross weight / Peso bruto: 1.240.75 Kg (2.735.38 lb) | Gross weight / Peso bruto: 827.16 Kg (1.823.57 lb) |

SPECIAL FINISHES


| Sheet / Hoja                         | Box / Caja                         | Pallet / Palet                                    | Euro Pallet / Euro Palet                          |
|--------------------------------------|------------------------------------|---------------------------------------------------|---------------------------------------------------|
| Angle & Bind. Are sold by box.       | Tesserae / Teselas: 96             | Boxes / Cajas: 180                                | Boxes / Cajas: 200                                |
| Thickness / Espesor: 5.5 mm (0.216") | Quantity / Cantidad: 5 m (16.4 ft) | Quantity / Cantidad: 900 m (2.952.76 ft)          | Quantity / Cantidad: 1000 m (3.280.84 ft)         |
|                                      | Weight/ Peso: 3.1 Kg (6.83 lb)     | Gross weight / Peso bruto: 561.7 Kg (1.238.33 lb) | Gross weight / Peso bruto: 634.8 Kg (1.399.49 lb) |

/APPLICATION ADVICE




THE GLUEING OPERATION

White C2 glue, as per EN-12004, must be used. By using the smooth side of the trowel, the glue has to be spread out uniformly on the base (2 sq.m. approximately). By using the jagged side of the trowel (2 or 3 mm.), comb the glue.




THE LAYING OF MOSAIC TILES

Adhere the sheet to the surface by pressing with a rubber trowel. It is important to make sure that the distance between one sheet and another is the same as the one among the tesseras so that all the joints look alike. We suggest to join the sheets when it comes to laying.



GROUTING

Joints must be clean, dry and free from dust. The remains of adhesive, after laying, must be removed while it is still fresh. Use grouting paste, RG type, as per EN 13888, spread it out with a rubber trowel.



CLEANING

Let it dry until the paste gets brightless, superficially, and then proceed to clean it with a sponge soaked in water. Once it gets dry, remove it with a dry cloth.

OPERACIÓN ENCOLADO

Usar cemento cola tipo C2 color blanco, según EN-12004. Usando el lado liso de la llana extender el adhesivo uniformemente sobre el soporte (2 m² aprox). Con el lado dentado de la llana (2 ó 3 mm.), peinar el cemento cola.

COLOCACIÓN MOSAICO

Adherir la hoja a la superficie presionando con una llanta de goma. Es importante asegurarse que la distancia entre hoja y hoja es igual a la que hay entre las teselas para que todas las juntas sean iguales entre sí. Aconsejamos trabar las hojas a la hora de su colocación.

REJUNTADO

Las juntas deben estar limpias, secas y exentas de polvo. El adhesivo sobrante de la colocación se debe eliminar cuando esté todavía fresco. Utilizar pasta de rejuntar tipo RG según EN 13888, extendiéndola con una llana de goma.

LIMPIEZA

Dejar secar hasta que la masa pierda el brillo superficial y proceder a su limpieza con una esponja humedecida en agua. Una vez seco, eliminar con un trapo seco.

# SQUAMERS

DESIGN POOLS FOR EVERYONE

**squamers.com**

Travesía 3A Camino Viejo, S/N

12200 Onda, Castellón (Spain)

+34 964 910 910

info@squamers.com

In the interest of maintaining constant improvements, SQUAMERS reserves the right to delete and amend, either totally or partially, any of the styles, colours, shapes, sizes, references and other technical specifications contained in this catalogue.

Due to the technical process of reproduction, colours printed are approximate, not exact. The photographs included in this catalogue are not contractual. The interpreting of the pictures will be according to designer's judgment.

All the information and texts included in the catalogue keep under the reservation of possible errors. The catalogue is only an informative tool.

Fieles al espíritu de constante mejora, SQUAMERS se reserva el derecho de anular o modificar cualquiera de los modelos, colores, formatos, referencias y especificaciones técnicas contenidas en este catálogo.

Debido a los procesos técnicos de reproducción los colores son aproximados, no exactos. Las fotografías expuestas en este documento y los diseños proporcionados por el cliente, no tienen un carácter contractual; este contenido quedará sujeto a una revisión entre compañía-cliente.

Así mismo, los textos e información presente en este documento informativo serán revisados, pudiendo ser modificados si se detectan errores.



